


Energy consumption in grain drying

Why do we dry grain?


- The grain moisture content after harvesting is in most cases so high that spoiling of grain starts if the grain is not dried
- High moisture content makes possible for the microbes to start their work
- Moisture content is the key factor in microbe growth
 - Low moisture content of material prevents vital functions of microbes
 - When air moisture content is higher than 62% molds start to grow
 - When air moisture content is higher than 90% bacterias start to grow

Drying demand in European countries

Harvest moisture content and drying need




Microbes and water



Crop storage

Crop
temperature




crop
moisture
content

Storage time, weeks


Moisture balance

- When biomass is kept in a constant air moisture content after some moisture movement between the material and the air there is a balance between the material and air
- Hysteresis makes the moisture balance figures different depending on if the material is drying or wetting
- Temperature has an effect on balance, the curves are called moisture isotherms




Moisture balance

Hay and straw moisture balance



Crop moisture balance


Barley, rye, wheat ä



Air

- Air is a gas mixture
- Besides gases air embodies water vapour (moisture)
- Air density in normal conditions (1 atm, 0C) is 1.29 kg/m^3

Alkuaine	Tilavuus %	Paino %
Happi O ₂	20,95	23,14
Typpi N	78,09	75,53
Argon Ar	0,93	1,28
Hilidioksidi CO	0,03	0,05
Neon Ne	0,002	0,001



Air moisture contents

Relative humidity expresses how near air is to saturation, 100 % = saturation

$$s = \frac{p_h}{p'_h}$$

s = relative humidity

p_h = water vapour partial pressure

p'_h = water vapour partial pressure at saturation

Humidity ratio (absolute humidity) expresses how much the air has water in


$$x = \frac{m_h}{m_i}$$

x = humidity ratio

m_h = mass of water

m_i = mass of dry air

Air heating power



$$P_k = \dot{V}_i \rho c_i \Delta T$$

c_i air heat capacity, n 1,006 kJ/kgK
 ΔT temperature change


This is an approximate way to calculate air heating power

Example

Grain dryer furnace air flow value is 21 000 m³/h and the temperature change is 60 C. What is the heating power of the furnace?

Grain drying

In boreal conditions crops must be dried. Drying consumes energy!




In grain drying the moisture in the grain moves to the air, which is blown through the grains

Drying

During drying different phases can be seen

- Drying starts with rapid moisture removal, the free water on the grain surface is removed
- When the free water has been removed water inside the grain must move to the surface, the moisture removal speed is decreased
- Temperature has an effect of water moving speed, high temperatures give higher moving speeds

Drying



Drying

Removed water amount:

$$M_{RW} = M \frac{w_h - w_d}{1 - w_h}$$

- M_{RW} = mass of evaporated water
- M = mass of the dried grain
- w_h = moisture content of harvested grain (wb)
- w_d = moisture content of dried grain (wb)

Example

- Barley yield of Finland is 1 700 milj. kg. What is the evaporated water amount when harvest moisture content is 25, 20 or 18%.

Drying energy need

- The minimum energy need is got from the water evaporation energy and vapour heat content

$$E = h_{vh} + c_v T_v$$

h_{vh} = water evaporation energy at 0 C, 2502 kJ/kg

c_v = water vapour heat content, 1,87 kJ/kg C



Example

- What is the minimum energy needed to remove 1 kg of water at 50 C?

Drying

In grain drying

- 120 g of burning oil is needed per evaporated water kg
- This corresponds to 5,1 MJ/kg H₂O
- Besides this energy (electricity) is needed to run the fan, elevator and other dryer equipments



Example

- A farm has 210 ha of grain with average yield of 3,5 t. What is the average oil consumption in grain drying?